

Lecture 7: Algorithms



Software: how we tell a computer what to do

- **hardware: a general purpose computer**
 - capable of doing instructions repetitively and very fast
 - doesn't do anything itself unless we tell it what to do
- **software: the instructions we want it to perform**
 - different set of instructions
 - => different program
 - => machine behaves differently
 - program and data are stored in the same memory and manipulated by the same instructions
- **to tell a computer what to do,**
 - we have to spell out the steps in excruciating detail
 - programming languages help handle a lot of the details

Software roadmap

- **algorithms**
 - precise but abstract descriptions of how to do a task
 - how to describe algorithm speed or efficiency
- **programs**
 - complete concrete descriptions of how to do a task on a real computer
- **programming languages**
 - precise notations for describing how to do tasks on a computer
 - e.g., Toy, Javascript, Python
- **real programs (big software)**
 - operating systems
 - applications
- **social / political / economic / legal issues**
 - intellectual property: patents, copyrights, interfaces
 - standards
 - open source

Algorithms

- an algorithm is the computer science version of a really careful, precise, unambiguous recipe or procedure
- a sequence of steps that performs some computation
- each step is expressed in terms of basic operations whose meaning is completely specified
 - basic operations or "primitive operations" are given
e.g., arithmetic operations
- all possible situations are covered
 - the algorithm never gets to a situation where it doesn't know what to do next
- guaranteed to stop
 - does not run forever

Linear algorithms

- lots of algorithms have this same basic form:

look at each item in turn

do the same simple computation on each item:

count it (how many items are in the list)

does it match something (looking up a name in a list of names)

count it if it meets some criterion (how many of some kind in the list)

remember some property of items found (largest, smallest, ...)

filter it (preserve items with some property)

transform it in some way (limit size, convert case of letters, ...)

- **the amount of work (running time) is proportional to amount of data**
 - twice as many items will take twice as long to process
 - 10 times as many items will take 10 times as long
 - **computation time is linearly/directly proportional to length of input**

Log n algorithms; binary search

- how do we find a name in a phone book?
- linear search requires looking at all the names
- if the names are sorted into alphabetical order,
we can use binary search, which is much faster than linear
- compare the desired name to the middle element of a sorted list of names
 - that tells us whether the desired name is in the first half or the second half
- repeat this on the appropriate half
- keep going until the name is found, or shown to not be present
- the data has to be sorted
 - have to be able to access any item equally quickly ("random access")
- why is binary search faster than linear searching?
 - each test / comparison cuts the number of items to search in half
 - an example of a "divide and conquer" algorithm
- how much faster is it?
 - the number of comparison is approximately $\log_2 n$ for n items

Logarithms for COS 109

- all logs in 109 are base 2
- all logs in 109 are integers
- if N is a power of 2 like 2^m , \log_2 of N is m
- if N is not a power of 2, \log_2 of N is
 - the number of bits needed to represent N
 - the power of 2 that's bigger than N
 - the number of times you can divide N by 2 before it becomes 0
- you don't need a calculator for these!
 - just figure out how many bits or what's the right power of 2
- logs are related to exponentials: $\log_2 2^N$ is N
- it's the same as decimal, but with 2 instead of 10

Algorithms for sorting

- binary search needs sorted data
- how do we sort names into alphabetical order?
- how do we sort numbers into increasing or decreasing order?
- how do we sort a deck of cards?
- how many comparison operations does sorting take?
- "selection sort":
 - find the smallest/earliest
 - using a variant of the "find the largest" algorithm
 - repeat on the remaining names
 - this is what bridge players typically do when organizing a hand
- what other algorithms might work?

How fast do these run?

- **searching an unordered/unsorted list of names**
 - time is proportional to length of the list
 - because you might have to go all the way to the end
 - twice as many items takes twice as long to search
- **searching a sorted list of names with binary search**
 - time is much faster (proportional to logarithm of length)
 - because you can use divide-and-conquer to narrow the search
 - twice as many items needs only one more probe
- **sorting n items takes time proportional to n^2 with simple sorting algorithms like selection sort**
 - twice as many items takes 4 times as long to sort
- **there are much faster sorting algorithms (e.g., Quicksort)**
 - time proportional to $n \log n$

Quicksort: an $n \log n$ sorting algorithm

- **make one pass through data, putting all small items in one pile and all large items on another pile**
 - there are now two piles, each with about $1/2$ of the items
 - and each item in the first pile is smaller than any item in the second
- **make a second pass; for each pile, put all small items in one pile and all larger items in another pile**
 - there are now four piles, each with about $1/4$ of the items
 - and each item in a pile is smaller than any item in later piles
- **repeat until there are n piles**
 - each item is now smaller than any item in a later pile
- **each pass looks at n items**
- **each pass divides each pile about in half; stops when pile size is 1**
 - number of divisions is $\log n$
- **$n \log n$ operations**

Tower of Hanoi: an exponential algorithm

-



The screenshot shows a digital interface for the Tower of Hanoi puzzle. At the top, the title "Tower of Hanoi" is displayed in a large, blue, sans-serif font against a background of a city skyline. Below the title, a yellow banner contains the game's objective: "Object of the game is to move all the disks over to Tower 3 (with your mouse). But you cannot place a larger disk onto a smaller disk." The main game area features a control panel at the top with the text "Discs: 8" in a blue box, followed by a downward arrow button and an upward arrow button. To the right of these are the labels "Moves: 0", a "Restart" button, and a "Solve!" button. The game board itself consists of three vertical red poles on a light blue base. The leftmost pole has a stack of eight disks of varying sizes and colors (from top to bottom: light green, green, yellow, orange, purple, pink, light orange, and dark green). The other two poles are currently empty.

Complexity hierarchy (a part of it)

$\log n$	logarithmic	(sub-polynomial?)
n	linear	polynomial
$n \log n$	[a bit worse than linear]	polynomial
n^2	quadratic	polynomial
n^3	cubic	polynomial
2^n	exponential	(not polynomial)