



Implicit Surfaces & Solid Representations

Guest lecture: Szymon Rusinkiewicz
COS 426, Spring 2016
Princeton University




3D Object Representations

- Raw data
 - Range image
 - Point cloud
- Surfaces
 - Polygonal mesh
 - Subdivision
 - Parametric
 - Implicit
- Solids
 - Voxels
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Application specific



3D Object Representations

- Desirable properties of an object representation
 - Easy to acquire
 - Accurate
 - Concise
 - Intuitive editing
 - Efficient editing
 - Efficient display
 - Efficient intersections
 - Guaranteed validity
 - Guaranteed smoothness
 - etc.




Large Geometric Model Repository
Georgia Tech



3D Object Representations

- Desirable properties of an object representation
 - Easy to acquire
 - Accurate
 - Concise
 - Intuitive editing
 - Efficient editing
 - Efficient display
 - Efficient intersections
 - Guaranteed validity
 - Guaranteed smoothness
 - etc.




Large Geometric Model Repository
Georgia Tech



Implicit Surfaces

- Represent surface with function over all space




Kazhdan



Implicit Surfaces

- Surface defined implicitly by function




Kazhdan



Implicit Surfaces

- Surface defined implicitly by function:
 - $f(x, y, z) = 0$ (on surface)
 - $f(x, y, z) < 0$ (inside)
 - $f(x, y, z) > 0$ (outside)




Turk



Implicit Surfaces


- Normals defined by partial derivatives
 - $\text{normal}(x, y, z) = \text{normalize}(\partial f / \partial x, \partial f / \partial y, \partial f / \partial z)$



Normals



Tangents



Curvatures




Implicit Surface Properties

(1) Efficient check for whether point is inside

- Evaluate $f(x,y,z)$ to see if point is inside/outside/on
- Example: ellipsoid

$$f(x, y, z) = \left(\frac{x}{r_x}\right)^2 + \left(\frac{y}{r_y}\right)^2 + \left(\frac{z}{r_z}\right)^2 - 1$$



H&B Figure 10.10



Implicit Surface Properties

(2) Efficient surface intersections

- Substitute to find intersections

$$\text{Ray: } P = P_0 + tV$$

$$\text{Sphere: } IP - OI^2 - r^2 = 0$$

Substituting for P , we get:

$$IP_0 + tV - OI^2 - r^2 = 0$$

Solve quadratic equation:


$$at^2 + bt + c = 0$$

where:

$$a = 1$$

$$b = 2 V \cdot (P_0 - O)$$

$$c = IP_0 - CI^2 - r^2 = 0$$







Implicit Surface Properties

(3) Efficient boolean operations (CSG)

- How would you implement:
Union? Intersection? Difference?



Union




Difference



Implicit Surface Properties

(4) Efficient topology changes

- Surface is not represented explicitly!









Bourke



Implicit Surface Properties

(4) Efficient topology changes

- Surface is not represented explicitly!



Bloomenthal



Comparison to Parametric Surfaces

- Implicit
 - Efficient intersections & topology changes
- Parametric
 - Efficient “marching” along surface & rendering



Implicit Surface Representations

- How do we define implicit function?
 - $f(x,y,z) = ?$



Implicit Surface Representations

- How do we define implicit function?
 - Algebraics
 - Voxels
 - Basis functions
 - Others



Implicit Surface Representations


- How do we define implicit function?
 - Algebraics
 - Voxels
 - Basis functions
 - Others



Algebraic Surfaces

- Implicit function is polynomial
 - $f(x,y,z) = ax^d + by^d + cz^d + dx^{d-1}y + dx^{d-1}z + dy^{d-1}x + \dots$

$$f(x, y, z) = \left(\frac{x}{r_x}\right)^2 + \left(\frac{y}{r_y}\right)^2 + \left(\frac{z}{r_z}\right)^2 - 1$$



H&B Figure 10.10



Algebraic Surfaces

- Most common form: quadrics
 - $f(x,y,z)=ax^2+by^2+cz^2+2dxy+2eyz+2fxz+2gx+2hy+2jz+k$
- Examples
 - Sphere
 - Ellipsoid
 - Paraboloid
 - Hyperboloid




Menon




Algebraic Surfaces


- Higher degree algebraics



Cubic



Quartic




Degree six



Algebraic Surfaces

- Equivalent parametric surface
 - Tensor product patch of degree m and n curves yields algebraic function with degree $2mn$




Bicubic patch has degree 18!



Algebraic Surfaces

- Intersection
 - Intersection of degree m and n algebraic surfaces yields curve with degree mn




Intersection of bicubic patches has degree 324!



Algebraic Surfaces

- Function extends to infinity
 - Must trim to get desired patch (this is difficult!)






Implicit Surface Representations

- How do we define implicit function?
 - Algebraics
 - Voxels
 - Basis functions



Voxels


- Regular array of 3D samples (like image)
 - Samples are called *voxels* (“volume pixels”)






Voxels

- Example isosurfaces



SUNY Stoney Brook




Princeton University



Voxels



- Regular array of 3D samples (like image)
 - Applying reconstruction filter (e.g. trilinear) yields $f(x,y,z)$
 - Isosurface at $f(x,y,z) = 0$ defines surface





Voxels


- Iso-surface extraction algorithm
 - e.g., Marching cubes





Voxels


- Iso-surface extraction algorithm
 - e.g., Marching cubes (15 cases)





Voxel Storage

- $O(n^3)$ storage for $n \times n \times n$ grid
 - 1 billion voxels for $1000 \times 1000 \times 1000$





Implicit Surface Representations


- How do we define implicit function?
 - Algebraics
 - Voxels
 - Basis functions



Basis functions

- Implicit function is sum of basis functions
 - Example:

$$f(P) = a_0 e^{-b_0 d(P, P_0)^2} + a_1 e^{-b_1 d(P, P_1)^2} + \dots - \tau$$





Radial Basis Functions

- Blobby models


$$D(r) = ae^{-br^2}$$

- Meta balls

$$D(r) = \begin{cases} a\left(1 - \frac{3r^2}{b^2}\right) & 0 \leq r \leq b/3 \\ \frac{3a}{2}\left(1 - \frac{r}{b}\right)^2 & b/3 \leq r \leq b \\ 0 & b \leq r \end{cases}$$

- Soft objects

$$D(r) = \begin{cases} a\left(1 - \frac{4r^6}{9b^6} + \frac{17r^4}{9b^4} - \frac{22r^2}{9b^2}\right) & r \leq b \\ 0 & r \geq b \end{cases}$$




Bourke



Blobby Models

- Implicit function is sum of Gaussians


$$f(P) = a_0 e^{-b_0 d(P, P_0)^2} + a_1 e^{-b_1 d(P, P_1)^2} + \dots - \tau$$





Blobby Models

- Sum of two blobs




Turk



Blobby Models


- Sum of four blobs




Turk



Blobby Model of Face




(a) $N = 1$




(b) $N = 2$



Blobby Model of Face




(c) $N = 10$




(d) $N = 35$



Blobby Model of Face




(e) $N = 70$




(f) $N = 243$



Blobby Model of Head




(a) $N = 1$




(b) $N = 2$



Blobby Model of Head




(c) $N = 20$




(d) $N = 60$



Blobby Model of Head



(e) $N = 120$



(f) $N = 451$



Blobby Models





Objects resulting from CSG of implicit soft objects and other primitives



Menon




Variational Implicit Surfaces



Turk



Variational Implicit Surfaces



Turk



Implicit Surface Summary

- Advantages:
 - Easy to test if point is on surface
 - Easy to compute intersections/unions/differences
 - Easy to handle topological changes
- Disadvantages:
 - Indirect specification of surface
 - Hard to describe sharp features
 - Hard to enumerate points on surface
 - » Slow rendering



Summary

Feature	Polygonal Mesh	Implicit Surface	Parametric Surface	Subdivision Surface
Accurate	No	Yes	Yes	Yes
Concise	No	Yes	Yes	Yes
Intuitive specification	No	No	Yes	No
Local support	Yes	No	Yes	Yes
Affine invariant	Yes	Yes	Yes	Yes
Arbitrary topology	Yes	No	No	Yes
Guaranteed continuity	No	Yes	Yes	Yes
Natural parameterization	No	No	Yes	No
Efficient display	Yes	No	Yes	Yes
Efficient intersections	No	Yes	No	No




3D Object Representations

- Raw data
 - Range image
 - Point cloud
- Surfaces
 - Polygonal mesh
 - Subdivision
 - Parametric
 - Implicit
- Solids
 - Voxels
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Application specific



Solid Modeling

- Represent solid interiors of objects




www.volumegraphics.com




Motivation 1

- Some acquisition methods generate solids



Airflow Inside a Thunderstorm

(Bob Wilhelmson,
University of Illinois at Urbana-Champaign)



Visible Human

(National Library of Medicine)




Motivation 2

- Some applications require solids
 - Examples: medicine, CAD/CAM



SUNY Stoney Brook




Intergraph Corporation




Motivation 3

- Some operations are easier with solids
 - Example: union, difference, intersection



Union



Difference




3D Object Representations

- Points
 - Range image
 - Point cloud
- Surfaces
 - Polygonal mesh
 - Subdivision
 - Parametric
 - Implicit
- Solids
 - Voxels
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Application specific



Return to Voxels


- Regular array of 3D samples (like image)






Voxels

- Store properties of solid object with each voxel
 - Occupancy
 - Color
 - Density
 - Temperature
 - etc.



Engine Block
Stanford University




Visible Human
(National Library of Medicine)



Voxel Processing



- Signal processing (just like images)
 - Reconstruction
 - Resampling
- Typical operations
 - Blur
 - Edge detect
 - Warp
 - etc.
- Often fully analogous to image processing





Voxel Boolean Operations


- Compare objects voxel by voxel
 - Trivial





Voxel Display



- Isosurface rendering
 - Interpolate samples stored on regular grid
 - Isosurface at $f(x,y,z) = 0$ defines surface





Voxel Display

- Slicing
 - Draw 2D image resulting from intersecting voxels with a plane





Visible Human
(National Library of Medicine)



Voxel Display

- Ray casting
 - Integrate density along rays: compositing!




Engine Block
Stanford University



Voxel Display

- Extended ray-casting
 - Transfer functions:
Map voxel values to opacity and material
 - Normals (for lighting)
from density gradient



[Bruckner et al. 2007](#)




Voxels

- Advantages
 - Simple, intuitive, unambiguous
 - Same complexity for all objects
 - Natural acquisition for some applications
 - Trivial boolean operations
- Disadvantages
 - Approximate
 - Not affine invariant
 - Expensive display
 - Large storage requirements



Voxels

- What resolution should be used?




FvDFH Figure 12.21




Quadtrees & Octrees

- Refine resolution of voxels hierarchically
 - More concise and efficient for non-uniform objects



Uniform Voxels





Quadtree (Octree in 3D)



Quadtree Processing

- Hierarchical versions of voxel methods
 - Finding neighbor cell requires traversal of hierarchy: expected/amortized $O(1)$





FvDFH Figure 12.25





Quadtree Boolean Operations



A





B



$A \cup B$



$A \cap B$








3D Object Representations

- Points
 - Range image
 - Point cloud
- Surfaces
 - Polygonal mesh
 - Subdivision
 - Parametric
 - Implicit
- Solids
 - Voxels
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Application specific



BSP Trees




Binary Tree




BSP Trees

- Key properties
 - visibility ordering (later)
 - hierarchy of convex regions (useful for collision)



1st level Approximation



2nd level Approximation




3D Object Representations

- Points
 - Range image
 - Point cloud
- Surfaces
 - Polygonal mesh
 - Subdivision
 - Parametric
 - Implicit
- Solids
 - Voxels
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Application specific



Constructive Solid Geometry (CSG)

- Represent solid object as hierarchy of boolean operations
 - Union
 - Intersection
 - Difference




FvDFH Figure 12.27



CSG Acquisition


- Interactive modeling programs
 - Intuitive way to design objects





CSG Acquisition

- Interactive modeling programs
 - Intuitive way to design objects




H&B Figure 9.9



CSG Boolean Operations

- Create a new CSG node joining subtrees
 - Union
 - Intersection
 - Difference




FvDFH Figure 12.27



CSG Display & Analysis

- Ray casting






3D Object Representations

- Points
 - Range image
 - Point cloud
- Surfaces
 - Polygonal mesh
 - Subdivision
 - Parametric
 - Implicit
- Solids
 - Voxels
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Application specific




Sweeps


- Swept volume
 - Sweep one curve along path of another curve



(a)



(b)



(c)


(d)

Demetri Terzopoulos



Sweeps

- Surface of revolution
 - Take a curve and rotate it about an axis




Demetri Terzopoulos




Sweeps

- Surface of revolution
 - Take a curve and rotate it about an axis


cone




oblate spheroid





conical frustum




prolate spheroid



cylinder



zone





Summary

	Voxels	Octree	BSP	CSG
Accurate	No	No	Some	Some
Concise	No	No	No	Yes
Affine invariant	No	No	Yes	Yes
Easy acquisition	Some	Some	No	Some
Guaranteed validity	Yes	Yes	Yes	No
Efficient boolean operations	Yes	Yes	Yes	Yes
Efficient display	No	No	Yes	No