

hello1.py (Page 1 of 1)

```
1: #!/usr/bin/env python
2:
3: #-----
4: # hello1.py
5: # Author: Bob Dondero
6: #-----
7:
8: print('hello, world')
```

hello2.py (Page 1 of 1)

```
1: #!/usr/bin/env python
2:
3: #-----
4: # hello2.py
5: # Author: Bob Dondero
6: #-----
7:
8: def main():
9:     print('hello, world')
10:
11: #-----
12:
13: if __name__ == '__main__':
14:     main()
```

sub.py (Page 1 of 1)

```
1: #!/usr/bin/env python
2:
3: #-----
4: # sub.py
5: # Author: Bob Dondero
6: #-----
7:
8: def subtract(minuend, subtrahend=0):
9:     return minuend - subtrahend
10:
11: #-----
12:
13: def main():
14:
15:     difference = subtract(5, 2)
16:     print(difference)
17:
18:     difference = subtract(5)
19:     print(difference)
20:
21:     difference = subtract(subtrahend=2, minuend=5)
22:     print(difference)
23:
24: #-----
25:
26: if __name__ == '__main__':
27:     main()
```

blank (Page 1 of 1)

```
1: This page is intentionally blank.
```

squareroot1.py (Page 1 of 1)

```
1: #!/usr/bin/env python
2:
3: #-----
4: # squareroot1.py
5: # Author: Bob Dondero
6: #-----
7:
8: import math
9:
10: #-----
11:
12: def main():
13:     print(math.sqrt(2))
14:
15: #-----
16:
17: if __name__ == '__main__':
18:     main()
```

squareroot2.py (Page 1 of 1)

```
1: #!/usr/bin/env python
2:
3: #-----
4: # squareroot2.py
5: # Author: Bob Dondero
6: #-----
7:
8: from math import sqrt
9:
10: #-----
11:
12: def main():
13:     print(sqrt(2))
14:
15: #-----
16:
17: if __name__ == '__main__':
18:     main()
```