


Insertion into a trie


Follow links corresponding to each character in the key.

- Encounter a null link: create new node.
- Encounter the last character of the key: set value in that node.



9

Trie construction example




10

Trie representation: Java implementation

Node. A value, plus references to R nodes.

```
private static class Node
{
    private Object value;
    private Node[] next = new Node[R];
}
```

use Object instead of Value since no generic array creation in Java




11

Trie representation: Java implementation

Node. A value, plus references to R nodes.

```
private static class Node
{
    private Object value;
    private Node[] next = new Node[R];
}
```

use Object instead of Value since no generic array creation in Java



12

R-way trie: Java implementation

```
public class TrieST<Value>
{
    private static final int R = 256; ← extended ASCII
    private Node root;

    private static class Node
    { /* see previous slide */ }

    public void put(String key, Value val)
    { root = put(root, key, val, 0); }

    private Node put(Node x, String key, Value val, int d)
    {
        if (x == null) x = new Node();
        if (d == key.length()) { x.val = val; return x; }
        char c = key.charAt(d);
        x.next[c] = put(x.next[c], key, val, d+1);
        return x;
    }
}
```

13

R-way trie: Java implementation (continued)

```
public boolean contains(String key)
{ return get(key) != null; }

public Value get(String key)
{
    Node x = get(root, key, 0);
    if (x == null) return null;
    return (Value) x.val;
}

private Node get(Node x, String key, int d)
{
    if (x == null) return null;
    if (d == key.length()) return x;
    char c = key.charAt(d);
    return get(x.next[c], key, d+1);
}
```

14

Trie performance

Search miss.

- Could have mismatch on first character.
- Typical case: examine only a few characters.

Search hit. Need to examine all L characters for equality.

Space. R null links at each leaf.

(but sublinear space possible if many short strings share common prefixes)

Bottom line. Fast search hit, sublinear-time search miss, wasted space.

15

String symbol table implementations cost summary

implementation	character accesses (typical case)				dedup	
	search hit	search miss	insert	space (links)	moby.txt	actors.txt
red-black BST	$L + c \lg^2 N$	$c \lg^2 N$	$c \lg^2 N$	$4N$	1.40	97.4
hashing	L	L	L	$4N$ to $16N$	0.76	40.6
R-way trie	L	$\log_R N$	L	$(R+1)N$	1.12	out of memory

R-way trie.

- Method of choice for small R .
- Too much memory for large R .

Challenge. Use less memory, e.g., 65,536-way trie for Unicode!

16

Digression: out of memory?

“ 640 K ought to be enough for anybody. ”
— attributed to Bill Gates, 1981
(commenting on the amount of RAM in personal computers)

“ 64 MB of RAM may limit performance of some Windows XP features; therefore, 128 MB or higher is recommended for best performance. ” — Windows XP manual, 2002

“ 64 bit is coming to desktops, there is no doubt about that. But apart from Photoshop, I can't think of desktop applications where you would need more than 4GB of physical memory, which is what you have to have in order to benefit from this technology. Right now, it is costly. ” — Bill Gates, 2003

Digression: out of memory?

A short (approximate) history.

machine	year	address bits	addressable memory	typical actual memory	cost
PDP-8	1960s	12	6 KB	6 KB	\$16K
PDP-10	1970s	18	256 KB	256 KB	\$1M
IBM S/360	1970s	24	4 MB	512 KB	\$1M
VAX	1980s	32	4 GB	1 MB	\$1M
Pentium	1990s	32	4 GB	1 GB	\$1K
Xeon	2000s	64	enough	4 GB	\$100
??	future	128+	enough	enough	\$1

“ 512-bit words ought to be enough for anybody. ”
— RS, 1995

A modest proposal

Number of atoms in the universe (estimated). $\leq 2^{266}$.

Age of universe (estimated). 14 billion years $\sim 2^{59}$ seconds $\leq 2^{89}$ nanoseconds.

Q. How many bits address every atom that ever existed?

A. Use a unique 512-bit address for every atom at every time quantum.



Ex. Use 256-way trie to map atom to location.

- Represent atom as 64 8-bit chars (512 bits).
- 256-way trie wastes 255/256 actual memory.
- Need better use of memory.

- ▶ tries
- ▶ TSTs
- ▶ string symbol table API

Ternary search tries

TST. [Bentley-Sedgewick, 1997]

- Store characters and values in nodes (not keys).
- Each node has **three** children: smaller (left), equal (middle), larger (right).




21

Ternary search tries

TST. [Bentley-Sedgewick, 1997]

- Store characters and values in nodes (not keys).
- Each node has **three** children: smaller (left), equal (middle), larger (right).



22


Search in a TST

Follow links corresponding to each character in the key.

- If less, take left link; if greater, take right link.
- If equal, take the middle link and move to the next key character.

Search hit. Node where search ends has a non-null value.


Search miss. Reach a null link or node where search ends has null value.



23


26-way trie vs. TST

26-way trie. 26 null links in each leaf.



26-way trie (1035 null links, not shown)

TST. 3 null links in each leaf.



TST (155 null links)

now
for
tip
ilk
dim
tag
jot
sob
nob
sky
hut
ace
bet
men
egg
few
jay
owl
joy
rap
gig
wee
was
cab
wad
caw
cue
fee
tap
ago
tar
jam
dug
and


24

TST representation in Java

A TST node is five fields:

- A value.
- A character c .
- A reference to a left TST.
- A reference to a middle TST.
- A reference to a right TST.

```
private class Node
{
    private Value val;
    private char c;
    private Node left, mid, right;
}
```



25

TST: Java implementation

```
public class TST<Value>
{
    private Node root;

    private class Node
    { /* see previous slide */ }

    public void put(String key, Value val)
    { root = put(root, key, val, 0); }

    private Node put(Node x, String key, Value val, int d)
    {
        char c = s.charAt(d);
        if (x == null) { x = new Node(); x.c = c; }
        if (c < x.c) x.left = put(x.left, key, val, d);
        else if (c > x.c) x.right = put(x.right, key, val, d);
        else if (d < s.length() - 1) x.mid = put(x.mid, key, val, d+1);
        else x.val = val;
        return x;
    }
}
```

26

TST: Java implementation (continued)

```
public boolean contains(String key)
{ return get(key) != null; }

public Value get(String key)
{
    Node x = get(root, key, 0);
    if (x == null) return null;
    return x.val;
}

private Node get(Node x, String key, int d)
{
    if (x == null) return null;
    char c = s.charAt(d);
    if (c < x.c) return get(x.left, key, d);
    else if (c > x.c) return get(x.right, key, d);
    else if (d < key.length() - 1) return get(x.mid, key, d+1);
    else return x;
}
```

27

String symbol table implementation cost summary

implementation	character accesses (typical case)				dedup	
	search hit	search miss	insert	space (links)	moby.txt	actors.txt
red-black BST	$L + c \lg^2 N$	$c \lg^2 N$	$c \lg^2 N$	$4N$	1.40	97.4
hashing	L	L	L	$4N$ to $16N$	0.76	40.6
R-way trie	L	$\log_r N$	L	$(R+1)N$	1.12	out of memory
TST	$L + \ln N$	$\ln N$	$L + \ln N$	$4N$	0.72	38.7

Remark. Can build balanced TSTs via rotations to achieve $L + \log N$ worst-case guarantees.


Bottom line. TST is as fast as hashing (for string keys), space efficient.

28

TST with R^2 branching at root

Hybrid of R-way trie and TST.

- Do R^2 -way branching at root.
- Each of R^2 root nodes points to a TST.



Q. What about one- and two-letter words?

29

String symbol table implementation cost summary

implementation	character accesses (typical case)			space (links)	dedup	
	search hit	search miss	insert		moby.txt	actors.txt
red-black BST	$L + c \lg^2 N$	$c \lg^2 N$	$c \lg^2 N$	$4 N$	1.40	97.4
hashing	L	L	L	$4 N$ to $16 N$	0.76	40.6
R-way trie	L	$\log_R N$	L	$(R + 1) N$	1.12	out of memory
TST	$L + \ln N$	$\ln N$	$L + \ln N$	$4 N$	0.72	38.7
TST with R^2	$L + \ln N$	$\ln N$	$L + \ln N$	$4 N + R^2$	0.51	32.7

30

TST vs. hashing

Hashing.

- Need to examine entire key.
- Search hits and misses cost about the same.
- Need good hash function for every key type.
- No help for ordered symbol table operations.

TSTs.

- Works only for strings (or digital keys).
- Only examines just enough key characters.
- Search miss may only involve a few characters.
- Can handle ordered symbol table operations (plus others!).

Bottom line. TSTs are:

- Faster than hashing (especially for search misses).
- More flexible than red-black trees (next).

31

- tries
- TSTs
- string symbol table API

32

Ordered iteration: Java implementation

To iterate through all keys in sorted order:

- Do inorder traversal of trie; add keys encountered to a queue.
- Maintain sequence of characters on path from root to node.

```
public Iterable<String> keys()
{
    Queue<String> queue = new Queue<String>();
    collect(root, "", queue);
    return queue;
}

private void collect(Node x, String prefix, Queue<String> q)
{
    if (x == null) return;
    if (x.val != null) q.enqueue(prefix);
    for (char c = 0; c < R; c++)
        collect(x.next[c], prefix + c, q);
}
```

sequence of characters
on path from root to x



37

Prefix matches

Find all keys in symbol table starting with a given prefix.

Ex. Autocomplete in a cell phone, search bar, text editor, or shell.


- User types characters one at a time.
- System reports all matching strings.



38

Prefix matches

Find all keys in symbol table starting with a given prefix.



```
public Iterable<String> keysWithPrefix(String prefix)
{
    Queue<String> queue = new Queue<String>();
    Node x = get(root, prefix, 0);
    collect(x, prefix, queue);
    return queue;
}
```

root of subtree for all strings
beginning with given prefix

39

Longest prefix

Find longest key in symbol table that is a prefix of query string.

Ex. Search IP database for longest prefix matching destination IP, and route packets accordingly.

```
"128"
"128.112"
"128.112.055"
"128.112.055.15"
"128.112.136"
"128.112.155.11"
"128.112.155.13"
"128.222"
"128.222.136"

prefix("128.112.136.11") = "128.112.136"
prefix("128.166.123.45") = "128"
```

← represented as 32-bit binary number
for IPv4 (instead of string)


Q. Why isn't longest prefix match the same as floor or ceiling?

40

Longest prefix

Find longest key in symbol table that is a prefix of query string.

- Search for query string.
- Keep track of longest key encountered.



41

Longest prefix: Java implementation

Find longest key in symbol table that is a prefix of query string.

- Search for query string.
- Keep track of longest key encountered.

```
public String longestPrefixOf(String query)
{
    int length = search(root, query, 0, 0);
    return query.substring(0, length);
}

private int search(Node x, String query, int d, int length)
{
    if (x == null) return length;
    if (x.val != null) length = d;
    if (d == query.length()) return length;
    char c = query.charAt(d);
    return search(x.next[c], query, d+1, length);
}
```

42

T9 texting

Goal. Type text messages on a phone keypad.

Multi-tap input. Enter a letter by repeatedly pressing a key until the desired letter appears.

T9 text input. ["A much faster and more fun way to enter text."]

- Find all words that correspond to given sequence of numbers.
- Press 0 to see all completion options.

Ex. hello

- Multi-tap: 4 4 3 3 5 5 5 5 5 6 6 6
- T9: 4 3 5 5 6



43

A Letter to t9.com

To: info@t9support.com
Date: Tue, 25 Oct 2005 14:27:21 -0400 (EDT)

Dear T9 texting folks,

I enjoyed learning about the T9 text system from your webpage, and used it as an example in my data structures and algorithms class. However, one of my students noticed a bug in your phone keypad


<http://www.t9.com/images/how.gif>

Somehow, it is missing the letter s. (!)

Just wanted to bring this information to your attention and thank you for your website.

Regards,

Kevin



44

String symbol tables summary

A success story in algorithm design and analysis.

Red-black tree.

- Performance guarantee: $\log N$ key compares.
- Supports ordered symbol table API.

Hash tables.

- Performance guarantee: constant number of probes.
- Requires good hash function for key type.

Tries. R-way, TST.

- Performance guarantee: $\log N$ characters accessed.
- Supports extensions to API based on partial keys.

Bottom line. You can get at anything by examining 50-100 bits (!!!)